

GOAT ANTI-SIGLEC6 ANTIBODY

SKU: EB10233

250kDa
150kDa
100kDa
75kDa

50kDa
37kDa

25kDa
20kDa
15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	SIGLEC6 SIGLEC-6 sialic acid binding Ig-like lectin 6 Obesity-binding protein 1 OBPP1 CDw327
Alias	antigen CDw327 CD33L1 CD33L CD33 antigen-like 1 CD327
Names	
Accession ID	NP_001236.4; NP_942142.3; NP_942143.3
Blocking Peptide	EBP10233
Immunogen	Peptide with sequence C-KWMKYGYTSSK, from the internal region of the protein sequence according to NP_001236.4; NP_942142.3; NP_942143.3.
Product Comments	This antibody is expected to recognize all reported isoforms (NP_001236.4; NP_942142.3; NP_942143.3).
Peptide Sequence	C-KWMKYGYTSSK
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	946
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:16000.
Western Blot	Experiments gave bands at approx 60kDa and 35kDa in Human Placenta lysates. These bands correspond to earlier findings with different antibodies from other sources. This protein has a calculated MW of 49.9kDa according to NP_001236.4. Recommended concentration: 0.5-1.5µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa
150kDa
100kDa
75kDa

50kDa
37kDa

25kDa
20kDa
15kDa