
Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-SILVER HOMOLOGUE / PMEL 17 (C-TERMINUS) ANTIBODY

SKU: EB07296



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing. Instructions

Synonym /

Alias

silver homolog|silver (mouse homolog)-like|silver (mouse homolog) like|Silver, mouse, homolog of|Pmel 17|Melanocyte protein mel 17|gp100|SIL|SI|ME20|D12S53E|SILV|PMEL17|silver homolog (mouse)

Names **Accession**

ID

NP_008859.1

Blocking Peptide

EBP07296

Immunogen

Peptide with sequence CPIGENSPLLSGQQ, from the C Terminus of the protein sequence according to NP 008859.1.

Peptide

CPIGENSPLLSGQQ

Sequence

Method

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

using the immunizing peptide.





Telephone: (650) 697-3600



Shipping Refrigerated Instructions

Predicted Species

Human, Mouse

Reactive

Human **Species**

Human Gene ID

6490

Mouse **Gene ID**

20431

Rat Gene ID 362818

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Melanoma. Recommended concentration: 6-7µg/ml.

ELISA

Detection Antibody detection limit dilution 1:32000.

Limit

Application Pep-ELISA, IHC

Type

SELECTED REFERENCES

[{"pmid": 22542736, "intro": "This antibody (previous batch) has been successfully used in Western blot on Zebrafish:", "title": "Characterization of a bystander effect induced by the endocrine-disrupting chemical 6-propyl-2-thiouracil in zebrafish embryos.", "author": "Liu C, Yan W, Zhou B, Guo Y, Liu H, Yu H, Giesy JP, Wang J, Li G, Zhang X.", "journal": "Aquat Toxicol. 2012 Aug 15;118-119:108-15. "}]

GALLERY IMAGES

