

# GOAT ANTI-SLC19A1 / RFC1 (MOUSE) ANTIBODY

**SKU:** EB10945



---

## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage Instructions** Aliquot and store at -20°C. Minimize freezing and thawing.

**Synonym /** solute carrier family 19 member 1| reduced folate carrier 1| intestinal folate carrier protein| intestinal folate carrier

**Alias** 1| folate transporter 1| OTTMUSP00000045641| OTTMUSP00000045639| IFC-1| RFC1| RFC-1| RFC| AI323572|

**Names** solute carrier family 19 (folate transporter), member 1|Slc19a1

**Accession ID** NP\_112473.1

**Blocking Peptide** EBP10945

**Immunogen** Peptide with sequence KQAYEEPRQDHELK-C, from the N Terminus of the protein sequence according to NP\_112473.1.

**Peptide Sequence** KQAYEEPRQDHELK-C

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

**Shipping Instructions** Refrigerated

**Predicted Species** Mouse, Rat

**Mouse Gene ID** 20509

**Rat Gene ID** 29723

**Product Grade** [https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/aspiring\\_medium.png](https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/aspiring_medium.png)

**ELISA**

**Detection Limit** Antibody detection limit dilution 1:128000.

**Western Blot** Preliminary experiments gave bands at approx 65kDa and 26kDa in Mouse Skin lysates after 1µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the bands we observe given the calculated size of 58.2kDa according to NP\_112473.1. Both detected bands were successfully blocked by incubation with the immunizing peptide (and BLAST results with the immunizing peptide sequence did not identify any other proteins to explain the additional bands). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported?

**Application** Pep-ELISA  
**Type**

## DOCUMENTS

- [Data Sheet](#)