

Telephone: (650) 697-3600



GOAT ANTI-SLC46A1 / PCFT (AA233-247) ANTIBODY

SKU: EB10946



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Names

solute carrier family 46 member 1| heme carrier protein 1| PCFT/HCP1| G21| PCFT| MGC9564| HCP1| FLJ39875| Alias

solute carrier family 46 (folate transporter), member 1|SLC46A1

Accession

NP_542400.2 ID

Blocking

EBP10946 **Peptide**

Peptide with sequence C-LKEPKSTRLFTFRH, from the internal region of the protein sequence according to **Immunogen**

NP 542400.2.

Peptide

C-LKEPKSTRLFTFRH Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human **Species**

Reactive

Human **Species**

Human

113235 Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:64000.

Limit

Western Approx 50kDa band observed in Human Kidney lysates (calculated MW of 49.8kDa according to NP_542400.2).


Blot Recommended concentration: 0.3-1µg/ml. Primary incubation 1 hour at room temperature.

Application

Pep-ELISA, WB Type

GALLERY IMAGES







250kDa 150kDa 100kDa

50kDa

75kDa

37kDa

25kDa

20kDa

15kDa