

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-SLC47A2 ANTIBODY

SKU: EB10662



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

multidrug and toxin| multidrug and toxin extrusion 2| kidney-specific H(+)/organic cation antiporter| hMATE-2| MATE-2| H+/organic cation antiporter| MATE2K| MATE2-K| MATE2-B| MATE2| FLJ31196| solute carrier family 47,

Names member 2|SLC47A2

Accession

NP_690872.2; NP_001093116.1

Blocking

EBP10662 **Peptide**

Immunogen

Peptide with sequence C-QRAESTATRPGPEK, from the internal region (near C terminus) of the protein

sequence according to NP_690872.2; NP_001093116.1.

Product Comments

This antibody is expected to recognize both reported isoforms (NP 690872.2; NP 001093116.1).

Peptide

Sequence

C-QRAESTATRPGPEK

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Human

Human

146802

Predicted Species

Reactive

Species

Human

Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png Grade

ELISA

Detection

Antibody detection limit dilution 1:32000.

Limit

Western

Approx 60kDa band observed in Human Testis lysates (calculated MW of 61.0kDa according to

NP_001093116.1). Recommended concentration: 0.1-0.3µg/ml. Blot

Application

Type

Pep-ELISA, WB

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: <u>(650)</u> 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa