

GOAT ANTI-SLY ANTIBODY

SKU: EB05364



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	likely ortholog of mouse SH3 gene SLY 753P9 SLY chromosome X open reading frame 9 CXorf9
Usage Summary	Please note that the band size we observe is higher than the predicted 42kDa. We do not have explanation for this at present. However, CXorf9, has a consensus glycosylation site. Glycosylation can affect migration of proteins on SDS-PAGE [Hames, B.D and Rickwood, D., eds. Gel electrophoresis of proteins: a practical approach. Oxford University Press].
Accession ID	NM_018990
Immunogen	Peptide with sequence C-EQLQGLSLAGAP, from the C Terminus of the protein sequence according to NM_018990.
Peptide Sequence	C-EQLQGLSLAGAP
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	54440
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/aspiring_medium.png
Western Blot	Western blot: Approx 55-60kDa band seen in Daudi lysate. Recommended for use at 1-3µg/ml.