

GOAT ANTI-SMAD2 / MADH2 ANTIBODY

SKU: EB05147

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Unit Size	100 µg
Synonym / Alias Names	mother against DPP homolog 2 Sma- and Mad-related protein 2 SMAD, mothers against DPP homolog 2 Mad-related protein 2 Mad protein homolog Mad, mothers against decapentaplegic homolog 2 MAD, mothers against decapentaplegic homolog 2 hSMAD2 hMAD-2 MGC34440 MGC22139 SMAD family member 2 MAD (mothers against decapentaplegic, Drosophila) homolog 2 Mothers against decapentaplegic, Drosophila, homolog of, 2 J V18-1 MADR2 J V18 MAD, mothers against decapentaplegic homolog 2 (Drosophila) SMAD2 MADH2
Accession ID	NP_005892.1
Blocking Peptide	EBP05147
Immunogen	Peptide with sequence SEIWGLSTPNTIDC, from the internal region of the protein sequence according to NP_005892.1.
Peptide Sequence	SEIWGLSTPNTIDC
Shipping Instructions	Refrigerated
Predicted Species	Human, Cow
Reactive Species	Human, Mouse
Human Gene ID	4087
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:4000.
Western Blot	Approx 45kDa and 50kDa bands observed in lysates of cell line HeLa, and approx. 50kDa band in Mouse Testis lysates (calculated MWt of 52.3kDa according to Human NP_005892.1 and Mouse NP_001239410.1) Recommended concentration: 1-2µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa