

Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-SMAD2 / MADH2 ANTIBODY**

**SKU:** EB05147





Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

Telephone: (650) 697-3600





**SPECIFICATIONS** 

**Unit Size** 100 µg

mother against DPP homolog 2|Sma- and Mad-related protein 2|SMAD, mothers against DPP homolog 2|Mad-

related protein 2|Mad protein homolog|Mad, mothers against decapentaplegic homolog 2|MAD, mothers Synonym / against decapentaplegic homolog 2|hSMAD2|hMAD-2|MGC34440|MGC22139|SMAD family member 2|MAD **Alias** (mothers against decapentaplegic, Drosophila) homolog 2|Mothers against decapentaplegic, Drosophila, Names

homolog of, 2|JV18-1|MADR2|JV18|MAD, mothers against decapentaplegic homolog 2 (Drosophila)|SMAD2|MADH2

Accession

NP 005892.1

**Blocking** 

ID

EBP05147 **Peptide** 

Peptide with sequence SEIWGLSTPNTIDC, from the internal region of the protein sequence according to **Immunogen** 

NP 005892.1.

**Peptide** 

**SEIWGLSTPNTIDC** Sequence

Shipping

Refrigerated Instructions

**Predicted** 

**Species** 

Human, Cow

Reactive Human, Mouse **Species** 

4087

Human

**Gene ID** 

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

Grade **ELISA** 

**Detection** 

Antibody detection limit dilution 1:4000.

Limit

Approx 45kDa and 50kDa bands observed in lysates of cell line HeLa, and approx. 50kDa band in Mouse Testis Western

lysates (calculated MWt of 52.3kDa according to Human NP\_005892.1 and Mouse NP\_001239410.1)

**Blot** Recommended concentration: 1-2µg/ml.

**Application** 

Pep-ELISA, WB **Type** 

**GALLERY IMAGES** 





15kDa

Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

	250kDa 150kDa 100kDa 75kDa		250kDa 150kDa 100kDa 75kDa
No.	50kDa 37kDa		50kDa 37kDa
	25kDa 20kDa		25kDa