


# GOAT ANTI-SOX11 (AA309-323) ANTIBODY

**SKU:** EB11231



## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage Instructions** Aliquot and store at -20°C. Minimize freezing and thawing.

**Synonym / Alias Names** SOX11| transcription factor SOX-11| SRY-related HMG-box gene 11| SRY (sex-determining region Y)-box 11| SRY (sex determining region Y)-box 11

**Accession ID** NP\_003099.1

**Blocking Peptide** EBP11231

**Immunogen** Peptide with sequence C-SRLYYSFKNITKQHP, from the internal region of the protein sequence according to NP\_003099.1.

**Peptide Sequence** C-SRLYYSFKNITKQHP

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

**Shipping Instructions** Refrigerated

**Predicted Species** Human, Mouse, Rat, Pig, Cow

**Reactive Species** Human

**Human Gene ID** 6664

**Mouse Gene ID** 20666

**Rat Gene ID** 84046

**Product Grade** [https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\\_medium.png](https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png)

**ELISA Detection Limit** Antibody detection limit dilution 1:2000.

**Western Blot** Approx 65kDa band observed in lysates of cell lines Daudi, Jurkat and MOLT4 (calculated MW of 46.7kDa according to NP\_003099.1). The observed molecular weight corresponds to earlier findings in literature with different antibodies (Dictor et al, Haematologica. 2009 Nov;94(11):1563-8. PMID: 19880779). Recommended concentration: 0.3-1µg/ml. Primary incubation was 1 hour. Preliminary testing was unsuccessful on NIH3T3, Mouse and Rat Brain for this particular batch.

**Application Type** Pep-ELISA, WB

## SELECTED REFERENCES

[{"pmid": 26962049, "intro": "**This antibody has been successfully used in IHC on Mouse:**", "title": "Cross-species functional analyses reveal shared and separate roles for Sox11 in frog primary neurogenesis and mouse cortical neuronal differentiation.", "author": "Chen C, Jin J, Lee GA, Silva E, Donoghue M.", "journal": "Biol Open. 2016 Apr 15;5(4):409-17"}]

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

