

Email: customerservice@vectorlabs.com

GOAT ANTI-SPLEEN TYROSINE KINASE / SYK ANTIBODY

SKU: EB06823





250kDa 150kDa 100kDa 75kDa

37kDa

50kDa

25kDa

20kDa

15kDa

10kDa



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing. Instructions

Synonym /

SYK|spleen tyrosine **Alias**

Names

kinase|HGNC:11491|DKFZp313N1010|FLJ25043|FLJ37489|OTTHUMP00000021628|OTTHUMP00000021629

Accession

ID

NP_003168.2; NP_001128524.1

Blocking

Peptide

EBP06823

Peptide with sequence C-KYLQQNRHVKDKN, from the internal region of the protein sequence according to **Immunogen**

NP_003168.2; NP_001128524.1.

Product

This antibody is expected to recognise both reported isoforms (NP_003168.2; NP_001128524.1). Reported pairs of variants represent identical proteins (NP_003168.2 and NP_001167638.1; NP_001128524.1 and

Comments NP_001167639.1).

Peptide

Sequence

C-KYLQQNRHVKDKN

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat, Dog, Pig, Cow

Species Reactive

Human **Species**

Human Gene ID

6850

Mouse Gene ID

20963

Rat Gene ID 25155

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

Grade **ELISA**

Detection Antibody detection limit dilution 1:16000.

Limit

Western Approx 70kDa band observed in Human Bone marrow, Lymph Node, and Spleen lysates (calculated MW of

72.1kDa according to NP_003168.2). Recommended concentration: 1-3µg/ml.

Application

Pep-ELISA, WB

Type

Blot





GALLERY IMAGES

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa