

GOAT ANTI-SPLEEN TYROSINE KINASE / SYK ANTIBODY

SKU: EB06823

250kDa
150kDa
100kDa
75kDa
50kDa

37kDa

25kDa
20kDa

15kDa

10kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

Alias SYK|spleen tyrosine

Names kinase|HGNC:11491|DKFZp313N1010|FLJ25043|FLJ37489|OTTHUMP00000021628|OTTHUMP00000021629

Accession ID NP_003168.2; NP_001128524.1

Blocking Peptide EBP06823

Immunogen Peptide with sequence C-KYLQQNRHVKDKN, from the internal region of the protein sequence according to NP_003168.2; NP_001128524.1.

Product Comments This antibody is expected to recognise both reported isoforms (NP_003168.2; NP_001128524.1). Reported pairs of variants represent identical proteins (NP_003168.2 and NP_001167638.1; NP_001128524.1 and NP_001167639.1).

Peptide Sequence C-KYLQQNRHVKDKN

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog, Pig, Cow

Reactive Species Human

Human Gene ID 6850

Mouse Gene ID 20963

Rat Gene ID 25155

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:16000.

Western Blot Approx 70kDa band observed in Human Bone marrow, Lymph Node, and Spleen lysates (calculated MW of 72.1kDa according to NP_003168.2). Recommended concentration: 1-3µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa