



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-SRX1 ANTIBODY**

**SKU:** EB08988



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>


Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa 37kDa

25kDa 20kDa

15kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

sulfiredoxin 1 homolog|dJ850E9.2|YKL086W|SRX1|Npn3|C20orf139|sulfiredoxin 1 homolog (S.

cerevisiae)|SRXN1 Names

**Accession** 

NP\_542763.1

**Blocking** 

EBP08988 **Peptide** 

Peptide with sequence C-KVQSLVDTIREDPD, from the internal region of the protein sequence according to **Immunogen** 

NP 542763.1.

**Peptide** 

C-KVQSLVDTIREDPD Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** 

Refrigerated Instructions

**Predicted** 

Human, Mouse, Rat, Pig, Cow **Species** 

Reactive

Human **Species** 

Human

140809 Gene ID

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png Grade

**ELISA** 

**Detection** Antibody detection limit dilution 1:32000.

Limit

Approx. 16kDa band observed in Human Colon and Kidney lysates (calculated MW of 14.3kDa according to Western

**Blot** NP\_542763.1). Recommended concentration: 0.5-1.5µg/ml. Primary incubation was 1 hour.

**Application** 

Pep-ELISA, WB Type

## **GALLERY IMAGES**





Telephone: (650) 697-3600

250kDa 75kDa

e erest

50kDa 37kDa

25kDa 20kDa

15kDa