

GOAT ANTI-STAG2 ANTIBODY

SKU: EB07813

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	SCC3 homolog 2 bA517O1.1 SA2 SA-2 FLJ25871 DKFZp781H1753 DKFZp686P168 RP11-517O1.1 stromal
Alias	antigen 2 STAG2
Names	
Accession ID	NP_001036214.1; NP_001036215.1 ; NP_001036216.1 ; NP_006594.3
Blocking Peptide	EBP07813
Immunogen	Peptide with sequence C-REP KRLRPEDS, from the internal region of the protein sequence according to NP_001036214.1; NP_001036215.1 ; NP_001036216.1 ; NP_006594.3.
Product Comments	This antibody is expected to recognise isoform a (NP_001036214.1 and NP_001036215.1) and isoform b (NP_001036216.1 and NP_006594.3).
Peptide Sequence	C-REP KRLRPEDS
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog
Reactive Species	Human
Human Gene ID	10735
Mouse Gene ID	20843
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Approx 150kDa band observed in lysates of cell line HeLa (calculated MW of 146kDa according to NP_001036214.1 and NP_001036215.1). Recommended concentration: 0.01µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa