



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-STAG2 ANTIBODY

SKU: EB07813







250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa 20kDa

15kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

SCC3 homolog 2|bA517O1.1|SA2|SA-2|FL|25871|DKFZp781H1753|DKFZp686P168|RP11-517O1.1|stromal

Alias antigen 2|STAG2 Names

Accession

NP_001036214.1; NP_001036215.1; NP_001036216.1; NP_006594.3 ID

Blocking

EBP07813 **Peptide**

Peptide with sequence C-REPKRLRPEDS, from the internal region of the protein sequence according to **Immunogen**

NP_001036214.1; NP_001036215.1; NP_001036216.1; NP_006594.3.

Product This antibody is expected to recognise isoform a (NP_001036214.1 and NP_001036215.1) and isoform b

Comments (NP_001036216.1 and NP_006594.3).

Peptide

C-REPKRLRPEDS Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat, Dog **Species**

Reactive

Human **Species**

Human

10735 Gene ID

Mouse

20843 **Gene ID**

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

FLISA

Antibody detection limit dilution 1:128000. Detection

Limit

Approx 150kDa band observed in lysates of cell line HeLa (calculated MW of 146kDa according to Western

Blot NP_001036214.1 and NP_001036215.1). Recommended concentration: 0.01µg/ml.

Application

Pep-ELISA, WB **Type**





GALLERY IMAGES

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa