

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-STAP2 (MOUSE) ANTIBODY

SKU: EB11480



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa

100kDa

75kDa


50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / Alias

STAP-2|Stap2|signal-transducing adaptor protein-2|signal-transducing adaptor protein 2|signal transducing

adaptor family member 2|AW049765 Names

Accession

NP_666046.1 ID

Blocking

EBP11480 **Peptide**

Peptide with sequence C-EEKLQKRRALEH, from the C Terminus of the protein sequence according to **Immunogen**

NP 666046.1.

Peptide

C-EEKLQKRRALEH Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Mouse, Rat, Cow **Species**

Reactive

Mouse **Species**

Mouse

106766 Gene ID

Rat Gene ID 363334

Product Grade

 $https://prod-vector-labs-pimcore-assets.s 3. us-east-1. a mazon aws.com/assets/products/image/elite_medium.png$

ELISA

Detection Antibody detection limit dilution 1:64000.

Limit

Approx 50kDa band observed in Mouse fetal Brain and fetal Stomach lysates (calculated MW of 45.8kDa

Western according to NP_666046.1). This molecular weight is routinely observed by other sources. Recommended Blot

concentration: 1-3µg/ml.

Application

Pep-ELISA, WB Type

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa