

GOAT ANTI-STAP2 (MOUSE) ANTIBODY

SKU: EB11480

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	STAP-2 Stap2 signal-transducing adaptor protein-2 signal-transducing adaptor protein 2 signal transducing
Alias	adaptor family member 2 AW049765
Names	
Accession ID	NP_666046.1
Blocking Peptide	EBP11480
Immunogen	Peptide with sequence C-EEKLQKRRALEH, from the C Terminus of the protein sequence according to NP_666046.1.
Peptide Sequence	C-EEKLQKRRALEH
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Mouse, Rat, Cow
Reactive Species	Mouse
Mouse Gene ID	106766
Rat Gene ID	363334
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:64000.
Western Blot	Approx 50kDa band observed in Mouse fetal Brain and fetal Stomach lysates (calculated MW of 45.8kDa according to NP_666046.1). This molecular weight is routinely observed by other sources. Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

Goat Anti-Stap2 (mouse) Antibody

<https://everestbiotech.com/products/goat-anti-stap2-mouse-antibody/>

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa