

GOAT ANTI-STMN2 / SCG10 ANTIBODY

SKU: EB05408

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Names neuronal growth-associated protein (silencer element)|superior cervical ganglia, neural specific 10|Superiorcervical ganglia, neural specific 10|SCGN10|SGC10|stathmin-like 2|SCG10|STMN2

Accession ID NP_008960.2

Blocking Peptide EBP05408

Immunogen Peptide with sequence AKTAMAYKEK-C, from the N Terminus of the protein sequence according to NP_008960.2.

Peptide Sequence AKTAMAYKEK-C

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog, Cow

Reactive Species Mouse

Human Gene ID 11075

Mouse Gene ID 20257

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:128000.

Western Blot Approx 20kDa band observed in Mouse Foetal Brain lysates (calculated MW of 20.8kDa according to NP_079561.1). Recommended concentration: 0.3-1µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa