

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-STMN2 / SCG10 ANTIBODY

SKU: EB05408





Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

e erest

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias Names neuronal growth-associated protein (silencer element)|superior cervical ganglia, neural specific 10|Superiorcervical ganglia, neural specific 10|SCGN10|SGC10|stathmin-like 2|SCG10|STMN2

Accession

NP_008960.2

Blocking Peptide

EBP05408

Immunogen

Peptide with sequence AKTAMAYKEK-C, from the N Terminus of the protein sequence according to

NP 008960.2.

Peptide

AKTAMAYKEK-C

Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Mouse

20257

Predicted

Species

Human, Mouse, Rat, Dog, Cow

Reactive

Species

Human

11075 Gene ID

Mouse

Gene ID

Product https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

Grade **ELISA**

Detection

Antibody detection limit dilution 1:128000.

Limit

Western Approx 20kDa band observed in Mouse Foetal Brain lysates (calculated MW of 20.8kDa according to

Blot NP_079561.1). Recommended concentration: 0.3-1µg/ml.

Application

Type

Pep-ELISA, WB

GALLERY IMAGES



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa