


GOAT ANTI-SUV39H2 ANTIBODY

SKU: EB05731



250kDa
150kDa
100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	suppressor of variegation 3-9 homolog 2 KMT1B suppressor of variegation 3-9 homolog 2 (Drosophila) KMT1 RP11-2K17.2 FLJ23414 FLJ23414 suppressor of variation 3-9 (Drosophila) homolog 2 (Drosophila) SUV39H2
Accession ID	NP_078946.1
Blocking Peptide	EBP05731
Immunogen	Peptide with sequence CKCGAVTCRGYLN, from the C Terminus of the protein sequence according to NP_078946.1.
Peptide Sequence	CKCGAVTCRGYLN
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Pig, Cow
Reactive Species	Rat
Human Gene ID	79723
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:8000.
Western Blot	Approx 38kDa band observed in Rat Kidney and Testis lysates (calculated MW of 39.9kDa according to NP_078946.1). Recommended concentration: 1-3µg/ml. Primary incubation was 1 hour. Preliminary testing was unsuccessful on Mouse, Human and Pig Testis and HEK293 cell line for this particular batch.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

