

GOAT ANTI-TAF7L ANTIBODY

SKU: EB09594

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / Alias TBP-associated factor, RNA polymerase II, Q|TATA box binding protein-associated factor, RNA polymerase II, Q|TATA box binding protein (TBP)-associated factor, RNA polymerase II, Q|TAF7-like RNA polymerase II, TATA box binding protein (TBP)-associated factor, 50 kD|OTTHUMP00000023675|dJ738A13.1|TAF2Q|FLJ23157|TAF7-like RNA polymerase II, TATA box binding protein (TBP)-associated factor, 50kDa|TAF7L

Accession ID NP_079161.2

Blocking Peptide EBP09594

Immunogen Peptide with sequence C-NHFQSVLEQLELQEK, from the internal region (near C Terminus) of the protein sequence according to NP_079161.2.

Peptide Sequence C-NHFQSVLEQLELQEK

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human

Reactive Species Human

Human Gene ID 54457

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA Detection Limit Antibody detection limit dilution 1:16000.

Western Blot Approx 40kDa band observed in Human Testis lysates (calculated MW of 52.6kDa according to NP_079161.2). This molecular weight is routinely observed by other sources. Recommended concentration: 0.3-1µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa