


GOAT ANTI-TANK2 ANTIBODY

SKU: EB02504



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / Alias Names tankyrase 2|TNKL|TANK2|PARP5C|PARP5B|PARP-5c|PARP-5b|tankyrase, TRF1-interacting ankyrin-related ADP-ribose polymerase 2|TNKS2

Accession ID NP_079511.1

Immunogen Fusion protein containing 73 aas from aa800-900 region of the protein sequence according to NP_079511.1. No crossreactivity expected with TANK1.

Peptide Sequence RECOMBINANT2

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by affinity chromatography using Protein G.

Shipping Instructions Refrigerated

| | |
|--------------------------|---|
| Predicted Species | Human, Mouse, Rat, Dog |
| Reactive Species | Human |
| Human Gene ID | 80351 |
| Product Grade | https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png |
| Western Blot | In transfected HEK293 transiently expressing TANK2 a band of approx. 127kDa is observed. This band is not observed in the non-transfected HEK293. The calculated molecular size is 127 kDa according to NP_079511.1. Recommended concentration, 0.5-1.5µg/ml. |
| Application Type | WB-Trf |

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

