
Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-TANK2 ANTIBODY

SKU: EB02504



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing. Instructions

Synonym / Alias

tankyrase 2|TNKL|TANK2|PARP5C|PARP5B|PARP-5c|PARP-5b|tankyrase, TRF1-interacting ankyrin-related ADPribose polymerase 2|TNKS2

Names

Accession NP_079511.1 ID

Immunogen

Fusion protein containing 73 aas from aa800-900 region of the protein sequence according to NP_079511.1. No crossreactivity expected with TANK1.

Peptide

RECOMBINANT2 Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by affinity chromatography using

Method Protein G.

Shipping

Refrigerated Instructions





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

Predicted Species

Human, Mouse, Rat, Dog

Reactive

Human

Species Human

80351 **Gene ID**

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

Western Blot

In transfected HEK293 transiently expressing TANK2 a band of approx. 127kDa is observed. This band is not observed in the non-transfected HEK293. The calculated molecular size is 127 kDa according to NP_079511.1.

Recommended concentration, 0.5-1.5 μ g/ml.

Application Type

WB-Trf

GALLERY IMAGES

