

GOAT ANTI-TBC1D9 ANTIBODY

SKU: EB12303

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym /	TBC1D9 TBC1 domain family, member 9 (with GRAM domain) MDR1 TBC1 domain family member 9 TBC1
Alias Names	domain family member 9A
Accession ID	NP_055945.2
Blocking Peptide	EBP12303
Immunogen	Peptide with sequence EDKLHCEDIGEDT, from the internal region (near C terminus) of the protein sequence according to NP_055945.2.
Peptide Sequence	EDKLHCEDIGEDT
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Pig, Cow
Reactive Species	Human, Pig
Human Gene ID	23158
Mouse Gene ID	71310
Rat Gene ID	304645
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Experiments gave bands at approx 90kDa and 55kDa in lysates of cell line HeLa and in Pig Brain lysates. The sum of the observed sizes equals 145kDa. This protein has a calculated MW of 143kDa according to Human NP_055945.2 and Pig XP_005666914.2). Recommended concentration: 0.3-1µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

