

GOAT ANTI-TCF3 / ITF1, BIOTINYLATED ANTIBODY

SKU: EB07587-B



250kDa
150kDa
100kDa
75kDa
50kDa
37kDa
25kDa
20kDa
15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	transcription factor E2-alpha MGC129648 MGC129647 E2A immunoglobulin enhancer-binding factor E12/E47 vitamin D receptor-interacting repressor transcription factor ITF-1 transcription factor 3 variant 3 transcription factor 3 (E2A immunoglobulin enhancer binding factors E12/E47) negative vitamin D response element-binding protein kappa-E2-binding factor immunoglobulin transcription factor 1 helix-loop-helix protein HE47 class B basic helix-loop-helix protein 21 VDR interacting repressor NOL1-TCF3 fusion bHLHb21 VDIR TCF-3 ITF1 E47 E2A transcription factor 3 TCF3
Accession ID	NP_003191.1
Blocking Peptide	EBP07587-B
Immunogen	Peptide with sequence C-KAPRARTSPDEDED., from the internal region of the protein sequence according to NP_003191.1.
Product Comments	This antibody is expected to recognize reported isoform E12 (NP_003191.1) only.
Peptide Sequence	C-KAPRARTSPDEDED.
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	6929
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Approx 75kDa band observed in lysates of cell line Daudi (calculated MW of 67.6kDa according to NP_003191.1). See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 0.3-1µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

