

GOAT ANTI-TCF4 ANTIBODY

SKU: EB08727

250kDa
150kDa

100kDa
75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	transcription factor-4 (immunoglobulin transcription
Alias	factor-2) SEF2-1B SEF2-1A SEF2-1 SEF2 PTHS MGC149724 MGC149723 ITF2 E2-2 transcription factor 4 TCF4
Names	
Accession ID	NP_001077431.1 ; NP_003190.1
Blocking Peptide	EBP08727
Immunogen	Peptide with sequence C-NGGHPSPSRNYGDGT, from the internal region of the protein sequence according to NP_001077431.1 ; NP_003190.1 .
Product Comments	This antibody is expected to recognise the reported isoforms a and b (NP_001077431.1; NP_003190.1)
Peptide Sequence	C-NGGHPSPSRNYGDGT
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Dog
Reactive Species	Human
Human Gene ID	6925
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:16000.
Western Blot	Approx 70kDa band observed in Human Heart lysates (calculated MW of 71.3kDa according to NP_003190.1). Recommended concentration: 0.5-1.5µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa