

GOAT ANTI-TFB1M ANTIBODY

SKU: EB09559

250kDa
150kDa
100kDa
75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	TFB1M transcription factor B1, mitochondrial CGI-75 CGI75 mtTFB mtTFB1 OTTHUMP00000017473 S-
Alias	adenosylmethionine-6-N\1, N1-adenosyl(rRNA) dimethyltransferase 1 homolog of yeast mitochondrial
Names	transcription factor B mitochondrial 12S rRNA dimethylase 1
Accession ID	NP_057104.2
Blocking Peptide	EBP09559
Immunogen	Peptide with sequence C-ELKRRKSKNEEKE, from the C Terminus of the protein sequence according to NP_057104.2.
Peptide Sequence	C-ELKRRKSKNEEKE
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Dog
Reactive Species	Human
Human Gene ID	51106
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA	
Detection Limit	Antibody detection limit dilution 1:64000.
Western Blot	Approx 38kDa band observed in lysates of cell line A431 (calculated MW of 39.5kDa according to NP_057104.2). Recommended concentration: 0.3-1µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa