

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-TFEB (N TERMINUS) ANTIBODY

SKU: EB05425






Telephone: (650) 697-3600

	Α	В
250kDa		
150kDa		
100kDa		
75kDa		
	1010	-
50kDa		
37kDa		
25kDa		
ZONDU		
20kDa		
15kDa		
IONDA		

Telephone: (650) 697-3600







SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

OTTHUMP00000043540|bHLHe35|TCFEB|AlphaTFEB|RP4-696P19.3|T-cell transcription factor

Alias EB|TCFEB|transcription factor EB|TFEB Names

Accession

ID

NP_009093.1; NP_001161299.2; NP_001258872.1

Blocking

EBP05425 **Peptide**

Peptide with sequence ASRIGLRMQLMRE-C, from the N Terminus of the protein sequence according to **Immunogen**

NP_009093.1; NP_001161299.2; NP_001258872.1.

Peptide

ASRIGLRMQLMRE-C Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat, Dog, Pig, Cow **Species**

Reactive

Human **Species**

Human

7942 Gene ID

Mouse

21425

Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:64000.

Limit

Blot

Western

Approx 55kDa band observed in Human Thymus and in lysates of cell line HepG2, and approx 60kDa in lysates of cell line Daudi (calculated MW of 54.2kDa according to NP_001161299.2). Recommended concentration

:0.3-1μg/ml. Primary incubation 1 hour at room temperature.

Application


Pep-ELISA, WB **Type**

GALLERY IMAGES



Telephone: (650) 697-3600





2	:5	0	k	D	a
1	5	0	k	D	a
1	0	0	k	D	а

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa