

GOAT ANTI-TGIF2 ANTIBODY

SKU: EB06910

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	TGIF2 TGFB-induced factor 2 (TALE family homeobox) homeobox protein TGIF2 5\1-TG-3\1 interacting factor
Alias	2 TGF(beta)-induced transcription factor 2 transcription growth factor-beta-induced factor 2 TGFB-induced
Names	factor homeobox 2 OTTHUMP00000030849
Accession ID	NP_068581.1
Blocking Peptide	EBP06910
Immunogen	Peptide with sequence C-EMELQKQQDP, from the internal region of the protein sequence according to NP_068581.1.
Peptide Sequence	C-EMELQKQQDP
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Pig
Reactive Species	Human
Human Gene ID	60436
Mouse Gene ID	228839
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:16000.
Western Blot	Approx 22kDa band observed in lysates of A431, A549 and HEK293 cell lines (calculated MW of 25.9kDa according to NP_068581.1). Recommended concentration: 0.3-1.0µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa