

GOAT ANTI-THROMBOXANE A2 RECEPTOR (ISOFORM BETA) ANTIBODY

SKU: EB12135

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

Alias TBXA2R|thromboxane A2 receptor|BDPLT13|TXA2-R|prostanoid TP receptor

Names

Accession ID NP_963998.2

Blocking Peptide EBP12135

Immunogen Peptide with sequence C-PFEPPTGKALSRKD, from the C Terminus of the protein sequence according to NP_963998.2.

Product Comments This antibody is expected to recognize the reported isoform beta (NP_963998.2) only.

Peptide Sequence C-PFEPPTGKALSRKD

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human

Reactive Species Human

Human Gene ID 6915

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:128000.

Western Blot Approx 55kDa band observed in Human Lung and Placenta lysates (calculated MW of 44.2kDa according to NP_963998.2). The observed molecular weight corresponds to the glycosylated form. Recommended concentration: 0.03-0.1µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

Goat Anti-thromboxane A2 receptor (isoform beta) Antibody

<https://everestbiotech.com/products/goat-anti-thromboxane-a2-receptor-isoform-beta-antibody/>

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa