

GOAT ANTI-TIP30 / CC3 ANTIBODY

SKU: EB06323

250kDa
150kDa
100kDa
75kDa

50kDa

37kDa

25kDa

20kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym / CC3|TIP30|HTATIP2|HIV-1 Tat interactive protein 2, 30kDa|Tat-interacting protein (30kD)|HIV-1 Tat interactive

Alias protein 2, 30 kD|HIV-1 Tat interactive protein 2, 30 kDa|FLJ26963|SDR44U1|short chain

Names dehydrogenase/reductase family 44U, member 1

Accession ID NP_001091990.1; NP_006401.3; NP_001091991.1; NP_001091992.1; NP_001091993.1

Blocking Peptide EBP06323

Immunogen Peptide with sequence AETEALSKLREDFR-C, from the N Terminus of the protein sequence according to
NP_001091990.1; NP_006401.3; NP_001091991.1; NP_001091992.1; NP_001091993.1.

Product This antibody is expected to recognise all three reported isoforms. Variants (NP_006401.3; NP_001091991.1;

Comments NP_001091992.1) encode the same isoform.

Peptide Sequence AETEALSKLREDFR-C

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human

Reactive Species Human

Human Gene ID 10553

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:32000.

Western Blot Approx 28kDa band observed in lysates of cell line HeLa (calculated MW of 27.0kDa according to
NP_006401.3). Recommended concentration: 0.3-1µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa
150kDa
100kDa
75kDa

50kDa

37kDa

25kDa

20kDa