

GOAT ANTI-TIRAP ANTIBODY

SKU: EB06974

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	Toll-like receptor adaptor protein OTTHUMP00000179130 adapter protein wyatt Toll-interleukin 1 receptor domain-containing adaptor protein Toll-interleukin 1 receptor (TIR) domain-containing adapter protein TIR domain-containing adapter protein MyD88 adapter-like protein wyatt Mal FLJ42305 HGNC:17192 toll-interleukin 1 receptor (TIR) domain containing adaptor protein TIRAP
Accession ID	NP_001034750.1; NP_683708.1
Blocking Peptide	EBP06974
Immunogen	Peptide with sequence C-QTLLKKPKKRPNSPE, from the internal region of the protein sequence according to NP_001034750.1; NP_683708.1.
Product Comments	This antibody is expected to recognize both reported isoforms (NP_001034750.1 and NP_683708.1).
Peptide Sequence	C-QTLLKKPKKRPNSPE
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	114609
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:32000.
Western Blot	Approx 22-23kDa band observed in lysates of cell lines A549 and K562 and in Human colorectal cancer lysates (calculated MW of 23.9kDa according to NP_001034750.11). Recommended concentration: 0.1-0.5µg/ml. Primary incubation 1 hour at room temperature.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

