
www.everestbiotech.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600

# GOAT ANTI-TNF-R-II / TNFR2 (MOUSE) ANTIBODY

**SKU:** EB11050

www.everestbiotech.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600



www.everestbiotech.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600

# SPECIFICATIONS

| | |
|---|---|
| **Formulation** | Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. |
| **Unit Size** | 100 µg |
| **Storage Instructions** | Aliquot and store at -20°C. Minimize freezing and thawing. |
| **Synonym / Alias Names** | Tnfrsf1b\| tumor necrosis factor receptor type II\| tumor necrosis factor receptor superfamily, member 1B\| tumor necrosis factor receptor superfamily member 1B\| tumor necrosis factor receptor 2\| tumor necrosis factor binding protein 2\| tumor necrosis factor beta receptor\| TNF-R-II\| TNF-RII\| TNFR-II\| TNFR80\| TNF-R75\| TNF-R2\| TNFR2\| TNFR1B\| TNFBR\| TBPII\| soluble TNFR1B variant 1\| p80 TNF-alpha receptor\| p75TNFR\| p75 TNF receptor\| p75\| CD120b |
| **Accession ID** | NP_035740.2 |
| **Blocking Peptide** | EBP11050 |
| **Immunogen** | Peptide with sequence KHFCNKTSDTVCAD, from the internal region of the protein sequence according to NP_035740.2. |
| **Product Comments** | The immunizing peptide represents part of a potential extracellular domain. |
| **Peptide Sequence** | KHFCNKTSDTVCAD |
| **Purification Method** | Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. |
| **Shipping Instructions** | Refrigerated |
| **Predicted Species** | Mouse, Rat |
| **Reactive Species** | Human, Mouse, Rat |
| **Mouse Gene ID** | 21938 |
| **Rat Gene ID** | 156767 |
| **Product Grade** | https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png |
| **IHC Results** | Paraffin embedded Human Liver. Recommended concentration: 5µg/ml. |
| **ELISA Detection Limit** | Antibody detection limit dilution 1:8000. |
| **Western Blot** | Approx 55kDa band observed in Mouse and Rat Spinal Cord lysates (calculated MW of 50.3kDa according to Mouse NP_035740.2). Recommended concentration: 0.2-0.6µg/ml. |
| **Application Type** | Pep-ELISA, WB, IHC |

www.everestbiotech.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600

# DOCUMENTS

- Data Sheet

# GALLERY IMAGES

www.everestbiotech.com
Email: customerservice@vectorlabs.com
Telephone: (650) 697-3600

