

GOAT ANTI-TNF-R-II / TNFR2 (MOUSE) ANTIBODY

SKU: EB11050

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / Tnfrsf1b| tumor necrosis factor receptor type II| tumor necrosis factor receptor superfamily, member 1B| tumor

Alias necrosis factor receptor superfamily member 1B| tumor necrosis factor receptor 2| tumor necrosis factor

Names binding protein 2| tumor necrosis factor beta receptor| TNF-R-II| TNF-RII| TNFR-II| TNFR80| TNF-R75| TNF-R2|

Accession ID TNFR2| TNFR1B| TNFBR| TBPII| soluble TNFR1B variant 1| p80 TNF-alpha receptor| p75TNFR| p75 TNF receptor| p75| CD120b

Blocking Peptide EBP11050

Immunogen Peptide with sequence KHFCNKTSDTVCAD, from the internal region of the protein sequence according to NP_035740.2.

Product Comments The immunizing peptide represents part of a potential extracellular domain.

Peptide Sequence KHFCNKTSDTVCAD

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Mouse, Rat

Reactive Species Human, Mouse, Rat

Mouse Gene ID 21938

Rat Gene ID 156767

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Liver. Recommended concentration: 5µg/ml.

ELISA

Detection Limit Antibody detection limit dilution 1:8000.

Western Blot Approx 55kDa band observed in Mouse and Rat Spinal Cord lysates (calculated MW of 50.3kDa according to Mouse NP_035740.2). Recommended concentration: 0.2-0.6µg/ml.

Application Type Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

