


GOAT ANTI-TNFSF11 / OPGL ANTIBODY

SKU: EB07163



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / Alias Names receptor activator of nuclear factor kappa B ligand tumor necrosis factor ligand superfamily, member 11|osteoprotegerin ligand|osteoclast differentiation factor|TNF-related activation-induced cytokine|sOdf|hRANKL2|TRANCE|RANKL|OPGL|ODF|tumor necrosis factor (ligand) superfamily, member 11|TNFSF11

Usage Summary **Immunofluorescence:** Strong expression of the protein seen in the membranes of MCF7 and NIH3T3 cells. Recommended concentration: 10µg/ml. **Flow Cytometry:** Flow cytometric analysis of MCF7 cells. Recommended concentration: 10ug/ml.

Accession ID NP_003692.1; NP_143026.1

Blocking Peptide EBP07163

Immunogen Peptide with sequence C-DLAKRSKLEAQP, from the internal region of the protein sequence according to NP_003692.1; NP_143026.1.

Product Comments	This antibody is expected to recognise both reported isoforms (NP_003692.1 and NP_143026.1).
Peptide Sequence	C-DLAKRSKLEAQP
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human, Mouse
Human Gene ID	8600
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:16000.
Application Type	Pep-ELISA, IF, FC

GALLERY IMAGES

