

GOAT ANTI-TRABID / ZRANB1 ANTIBODY

SKU: EB08715

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias zinc finger, RAN-binding domain containing 1 protein|TRAF-binding protein domain|DKFZp762P2216|zinc finger, RAN-binding domain containing 1|TRABID|ZRANB1

Names

Accession ID NP_060050.2

Blocking Peptide EBP08715

Immunogen Peptide with sequence KWLDRYRQIRPCTS, from the C Terminus of the protein sequence according to NP_060050.2.

Peptide Sequence KWLDRYRQIRPCTS

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog, Pig, Cow

Reactive Species Human

Human Gene ID 54764

Mouse Gene ID 360216

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:4000.

Western Blot Approx. 80kDa bands observed in Human Cerebellum lysates (calculated MW of 81.0kDa according to NP_060050.2). An additional band of unknown identity was also consistently observed at 38kDa. Recommended concentration: 0.5-2µg/ml. Primary incubation 1 hour at room temperature.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa