

GOAT ANTI-TRADD (ISOFORM 2) ANTIBODY

SKU: EB06575



SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	tumor necrosis factor receptor type 1 associated death domain protein tumor necrosis factor receptor-1-associated protein TNFR1-associated death domain protein TNFRSF1A-associated via death domain MGC11078 Hs.89862 TRADD
Accession ID	NP_003780.1
Blocking Peptide	EBP06575
Immunogen	Peptide with sequence AAGQNGHEEWVG-C, from the N Terminus of the protein sequence according to NP_003780.1.
Peptide Sequence	AAGQNGHEEWVG-C
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat
Reactive Species	Human
Human Gene ID	8717
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Western Blot: Approx 28kDa band observed in Human Liver lysates (calculated MW of 27.9kDa according to NP_700474). Recommended concentration: 1-3µg/ml. A minor band of unknown identity was also consistently observed at 26kDa. This band was successfully blocked by incubation with the immunising peptide. We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported?

Application
Type Pep-ELISA, WB