

GOAT ANTI-TRANSFERRIN RECEPTOR 1 ANTIBODY

SKU: EB11952

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym /	transferrin receptor protein
Alias	1 OTTHUMP00000208525 OTTHUMP00000208524 OTTHUMP00000208523 p90 TRFR TR TFR1 TFR T9 CD71 transferrin
Names	receptor (p90, CD71) TFRC
Accession ID	NP_003225.2
Blocking Peptide	EBP11952
Immunogen	Peptide with sequence TRFSLARQVDGDNH-C, from the N Terminus of the protein sequence according to NP_003225.2.
Product Comments	Reported variants represent identical protein: NP_003225.2, NP_001121620.1.
Peptide Sequence	TRFSLARQVDGDNH-C
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Pig, Cow
Reactive Species	Human
Human Gene ID	7037
Mouse Gene ID	22042
Rat Gene ID	64678
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:128000.
Western Blot	Approx 90kDa band observed in Human Breast lysates (calculated MW of 84.9kDa according to NP_003225.2). Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

