

GOAT ANTI-TRIM71 (AA409-419) ANTIBODY

SKU: EB09902

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

10kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	
Alias	abnormal cell LINeage LIN-41 homolog of <i>C. elegans</i> Lin-41 LIN41 LIN-41 tripartite motif-containing 71 TRIM71
Names	
Accession ID	NP_001034200.1
Blocking Peptide	EBP09902
Immunogen	Peptide with sequence C-NKLESTISAVQ , from the internal region of the protein sequence according to NP_001034200.1.
Peptide Sequence	C-NKLESTISAVQ
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Cow
Reactive Species	Mouse
Human Gene ID	131405
Mouse Gene ID	636331
Rat Gene ID	301042
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:32000.
Western Blot	Approx 100kDa band observed in lysates of cell line NIH3T3 (calculated MW of 93.4kDa according to Human NP_001034200.1 and of 92.1kDa according to Mouse NP_001035968.1). Recommended concentration: 1-3µg/ml. An additional band of unknown identity was also consistently observed at 14kDa. This band was successfully blocked by incubation with the immunizing peptide. We would appreciate any feedback from people in the field - have any such results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported?
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

