

Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-TRIM72 ANTIBODY

SKU: EB10443



Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa







SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

TRIM72|tripartite motif-containing 72

Alias Names

ID

Accession

NP_001008275.1

Blocking

EBP10443 **Peptide**

Peptide with sequence C-RPQALSTNLQ, from the internal region of the protein sequence according to **Immunogen**

NP_001008275.1.

Peptide

Sequence

C-RPQALSTNLQ

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated

Predicted

Species

Human, Mouse, Rat, Dog, Cow

Reactive

Species

Human, Mouse

434246

Human

493829 Gene ID

Mouse

Gene ID

Rat Gene ID 365377

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

In paraffin embedded Human Skeletal Muscle shows staining of the fibre membranes, detached artificially by **IHC Results**

the sectioning. Recommended concentration: 3-5µg/ml.

ELISA

Detection

Antibody detection limit dilution 1:16000.

Limit

Western Blot

Approx 52kDa band observed in Mouse Heart lysates (calculated MW of 52.8kDa according to Mouse NP_001073401.1). Recommended concentration: 0.01-0.03μg/ml. Primary incubation was 1 hour.

Application

Type

Pep-ELISA, WB, IHC

Telephone: (650) 697-3600







GALLERY IMAGES

250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

