


GOAT ANTI-TRIM72 ANTIBODY

SKU: EB10443



250kDa
150kDa
100kDa
75kDa
50kDa
37kDa
25kDa
20kDa
15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

Alias TRIM72|tripartite motif-containing 72

Names

Accession ID NP_001008275.1

Blocking Peptide EBP10443

Immunogen Peptide with sequence C-RPQALSTNLQ, from the internal region of the protein sequence according to NP_001008275.1.

Peptide Sequence C-RPQALSTNLQ

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog, Cow

Reactive Species Human, Mouse

Human Gene ID 493829

Mouse Gene ID 434246

Rat Gene ID 365377

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results In paraffin embedded Human Skeletal Muscle shows staining of the fibre membranes, detached artificially by the sectioning. Recommended concentration: 3-5µg/ml.

ELISA

Detection Limit Antibody detection limit dilution 1:16000.

Western Blot Approx 52kDa band observed in Mouse Heart lysates (calculated MW of 52.8kDa according to Mouse NP_001073401.1). Recommended concentration: 0.01-0.03µg/ml. Primary incubation was 1 hour.

Application Type Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

