




Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

GOAT ANTI-TSGA2 ANTIBODY

SKU: EB08575







250kDa 150kDa 100kDa 75kDa 50kDa 37kDa

25kDa 20kDa

15kDa



Telephone: (650) 697-3600

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

testis-specific gene A2|testis specific A2 homolog|testes specific gene A2 (mouse) homolog|testes specific A2

homolog|meichroacidin|male meiotic metaphase chromosome-associated acidic protein|hmeichroacidin|TSA2|RSPH10A|RSP44|MGC141927|MGC126568|radial spoke head 1 homolog

Names (Chlamydomonas)|RSPH1|TSGA2

Accession

NP_543136.1

Blocking

EBP08575 **Peptide**

Peptide with sequence C-HLNHRYQGKFLNKNP, from the internal region of the protein sequence according to **Immunogen**

NP 543136.1.

Peptide

C-HLNHRYQGKFLNKNP **Sequence**

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Refrigerated Instructions

Predicted

Human, Mouse, Rat, Cow **Species**

Reactive

Mouse **Species**

Human

89765 Gene ID

Product

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png Grade

ELISA

Detection Antibody detection limit dilution 1:4000.

Limit

Western Approx 37kDa band observed in Mouse Testis lysates (calculated MW of 35.1kDa according to Human **Blot** NP_543136.1 and 34.2kDa according to Mouse NP_079566.1). Recommended concentration: 0.1-0.3µg/ml.

Application

Pep-ELISA, WB

Type

GALLERY IMAGES



Telephone: (650) 697-3600



250kDa 150kDa 100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa