

## GOAT ANTI-TTC8 ANTIBODY

**SKU:** EB09988

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

---

## SPECIFICATIONS

**Formulation** Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 µg

**Storage** Aliquot and store at -20°C. Minimize freezing and thawing.  
**Instructions**

**Synonym /**

**Alias** TTC8|tetratricopeptide repeat domain 8|BBS8|Bardet-Biedl syndrome type 8

**Names**

**Accession ID** NP\_653197.2; NP\_938051.1; NP\_938052.1

**Blocking Peptide** EBP09988

**Immunogen** Peptide with sequence C-KEVLKQDNTHVE, from the internal region of the protein sequence according to NP\_653197.2; NP\_938051.1; NP\_938052.1.

**Product Comments** This antibody is expected to recognize all reported isoforms (NP\_653197.2; NP\_938051.1; NP\_938052.1).

**Peptide Sequence** C-KEVLKQDNTHVE

**Purification Method** Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

**Shipping Instructions** Refrigerated

**Predicted Species** Human, Mouse, Dog, Cow, Pig

**Reactive Species** Human

**Human Gene ID** 123016

**Mouse Gene ID** 76260

**Rat Gene ID** 299246

**Product Grade** [https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\\_medium.png](https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png)

**ELISA**

**Detection Limit** Antibody detection limit dilution 1:8000.

**Western Blot** Approx 60kDa band observed in Human Testis lysates (calculated MW of 58.4kDa according to NP\_653197.2).  
Recommended concentration: 0.2-0.6µg/ml.

**Application Type** Pep-ELISA, WB

## DOCUMENTS

- [Data Sheet](#)

## GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa