



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GOAT ANTI-TTLL4 ANTIBODY**

**SKU:** EB09831



Telephone: (650) 697-3600



250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa





Telephone: (650) 697-3600

## **SPECIFICATIONS**

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

**Unit Size** 100 μg

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

**Alias** KIAA0173|OTTHUMP00000164099|tubulin tyrosine ligase-like family, member 4|TTLL4

Names

ID

**Accession** 

NP\_055455.3

**Blocking** 

EBP09831 **Peptide** 

Peptide with sequence C-RSSYRQKPYQQLE, from the internal region of the protein sequence according to **Immunogen** 

NP 055455.3.

**Peptide** 

C-RSSYRQKPYQQLE Sequence

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

**Shipping** 

Refrigerated Instructions

Dog

67534

**Predicted** 

**Species** 

Human, Mouse, Rat, Dog, Cow

Reactive

**Species** 

Human

9654 Gene ID

Mouse

**Gene ID** 

**Rat Gene ID** 690512

**Product** 

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite\_medium.png

**Grade ELISA** 

**Detection** Antibody detection limit dilution 1:16000.

Limit

Western Approx 150kDa band observed in lysates of cell line MDCK (calculated MW of 133kDa according to

NP\_055455.3). Recommended concentration: 1-3µg/ml. Blot

**Application** 

Pep-ELISA, WB **Type** 

Goat Anti-TTLL4 Antibody



Email: <a href="mailto:customerservice@vectorlabs.com">customerservice@vectorlabs.com</a>

Telephone: (650) 697-3600

## **GALLERY IMAGES**

250kDa 150kDa 100kDa 75kDa

50kDa

37kDa

25kDa

20kDa

15kDa