

GOAT ANTI-TTLL4 ANTIBODY

SKU: EB09831

250kDa
150kDa
100kDa
75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

Alias KIAA0173|OTTHUMP00000164099|tubulin tyrosine ligase-like family, member 4|TTLL4

Names

Accession ID NP_055455.3

Blocking Peptide EBP09831

Immunogen Peptide with sequence C-RSSYRQKPYQQLE, from the internal region of the protein sequence according to NP_055455.3.

Peptide Sequence C-RSSYRQKPYQQLE

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species Human, Mouse, Rat, Dog, Cow

Reactive Species Dog

Human Gene ID 9654

Mouse Gene ID 67534

Rat Gene ID 690512

Product Grade https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

ELISA

Detection Limit Antibody detection limit dilution 1:16000.

Western Blot Approx 150kDa band observed in lysates of cell line MDCK (calculated MW of 133kDa according to NP_055455.3). Recommended concentration: 1-3µg/ml.

Application Type Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

