


Telephone: (650) 697-3600

GOAT ANTI-TXK ANTIBODY

SKU: EB05220



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym /

Alias

MGC22473|tyrosine kinase|PTK4 protein tyrosine kinase 4|PTK4|PSCTK5|BTKL|TKL|RLK|TXK tyrosine kinase|TXK

Names

Accession ND 003310

ID

NP_003319.2

Blocking

EBP05220

Peptide

Peptide with sequence C-ELLRAVTEIAETW, from the C Terminus of the protein sequence according to

Immunogen NP_003319.2.

Peptide

C-ELLRAVTEIAETW

Sequence Burification

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping Instructions

Refrigerated





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

Predicted

Human, Mouse, Dog, Pig, Cow

Species Reactive

Human

Species

Human **Gene ID**

7294

Product Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Thymus and Placenta. Recommended concentration: 5µg/ml.

ELISA

Western

Detection Antibody detection limit dilution 1:64000.

Limit

Approx 60kDa band observed in Human Tonsil and Thymus and Spleen lysates (calculated MW of 61.3kDa

according to NP_003319.2). Recommended concentration: 0.3-1µg/ml. Blot

Application

Type


Pep-ELISA, WB, IHC

GALLERY IMAGES




Telephone: (650) 697-3600





250kDa 150kDa 100kDa



75kDa

50kDa

37kDa

25kDa

20kDa