


GOAT ANTI-TXK ANTIBODY

SKU: EB05220



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions

Synonym /

Alias MGC22473|tyrosine kinase|PTK4 protein tyrosine kinase 4|PTK4|PSCTK5|BTKL|TKL|RLK|TXK tyrosine kinase|TXK
Names

Accession ID NP_003319.2

Blocking Peptide EBP05220

Immunogen Peptide with sequence C-ELLRAVTEIAETW, from the C Terminus of the protein sequence according to
NP_003319.2.

Peptide Sequence C-ELLRAVTEIAETW

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

Predicted Species	Human, Mouse, Dog, Pig, Cow
Reactive Species	Human
Human Gene ID	7294
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
IHC Results	Paraffin embedded Human Thymus and Placenta. Recommended concentration: 5µg/ml.
ELISA Detection Limit	Antibody detection limit dilution 1:64000.
Western Blot	Approx 60kDa band observed in Human Tonsil and Thymus and Spleen lysates (calculated MW of 61.3kDa according to NP_003319.2). Recommended concentration: 0.3-1µg/ml.
Application Type	Pep-ELISA, WB, IHC

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

