

GOAT ANTI-TXNDC1 / TMX, BIOTINYLATED ANTIBODY

SKU: EB05086-B



250kDa
150kDa
100kDa
75kDa

50kDa

37kDa

25kDa
20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage Instructions	Aliquot and store at -20°C. Minimize freezing and thawing.
Synonym / Alias Names	TMX1 thioredoxin-related transmembrane protein 1 PDIA11 TMX TXNDC TXNDC1 protein disulfide isomerase family A, member 11 thioredoxin domain containing 1 thioredoxin domain-containing protein 1 transmembrane Trx-related protein
Accession ID	NP_110382.3
Blocking Peptide	EBP05086-B
Immunogen	Peptide with sequence C-RSLGPSLATDKS., from the C Terminus of the protein sequence according to NP_110382.3.
Peptide Sequence	C-RSLGPSLATDKS.
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human
Reactive Species	Human
Human Gene ID	81542
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA	
Detection Limit	Antibody detection limit dilution 1:64000.
Western Blot	Approx 35kDa band observed in Human Liver lysates (calculated MW of 31.8kDa according to NP_110382.3). See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 0.01-0.03µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

