

GOAT ANTI-UBE2C / UBCH10 ANTIBODY

SKU: EB09517

250kDa
150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa

SPECIFICATIONS

Formulation	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.
Unit Size	100 µg
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Instructions	
Synonym /	UBE2C ubiquitin-conjugating enzyme
Alias	E2C UBCH10 dj447F3.2 OTTHUMP00000031653 OTTHUMP00000031655 cyclin-selective ubiquitin carrier
Names	protein mitotic-specific ubiquitin-conjugating enzyme ubiquitin carrier protein E2-C ubiquitin-protein ligase C
Accession ID	NP_008950.1; NP_861515.1; NP_861517.1
Blocking Peptide	EBP09517
Immunogen	Peptide with sequence C-SGDKGISAFPESDN, from the internal region of the protein sequence according to NP_008950.1; NP_861515.1; NP_861517.1.
Product	This antibody is expected to recognize isoforms 1 (NP_008950.1), 2 (NP_861515.1) and 4 (NP_861517.1) .
Comments	Reported variants NP_861517.1 and NP_861518.1represent identical protein.
Peptide Sequence	C-SGDKGISAFPESDN
Purification Method	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Shipping Instructions	Refrigerated
Predicted Species	Human, Mouse, Rat, Dog, Cow
Reactive Species	Human
Human Gene ID	11065
Product Grade	https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png
ELISA Detection Limit	Antibody detection limit dilution 1:8000.
Western Blot	Approx 19kDa band observed in lysates of cell lines HEK293 and HeLa (calculated MW of 19.7kDa according to NP_008950.1). Recommended concentration: 1-3µg/ml.
Application Type	Pep-ELISA, WB

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

250kDa

150kDa

100kDa

75kDa

50kDa

37kDa

25kDa

20kDa

15kDa