


GOAT ANTI-UBID4 (AA245-259) ANTIBODY

SKU: EB12124



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 µg

Storage Instructions Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / zinc finger protein ubi-d4|requiem, apoptosis response zinc finger|protein requiem|apoptosis response zinc

Alias finger protein|BRG1-associated factor 45D|BAF45D|ubi-d4|UBID4|REQ|D4, zinc and double PHD fingers family

Names 2|DPF2

Accession ID NP_006259.1

Blocking Peptide EBP12124

Immunogen Peptide with sequence C-QPPTPVVSQRSEEQKS, from the internal region of the protein sequence according to NP_006259.1.

Peptide Sequence C-QPPTPVVSQRSEEQKS

Purification Method Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Shipping Instructions Refrigerated

| | |
|------------------------------|--|
| Predicted Species | Human, Mouse, Rat, Dog, Pig, Cow |
| Reactive Species | Human |
| Human Gene ID | 5977 |
| Mouse Gene ID | 19708 |
| Rat Gene ID | 361711 |
| Product Grade | https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png |
| IHC Results | Paraffin embedded Human Prostate. Recommended concentration: 5µg/ml. |
| ELISA Detection Limit | Antibody detection limit dilution 1:128000. |
| Western Blot | Approx 50kDa and 48kDa bands observed in lysates of cell lines Jurkat and K562 respectively (calculated MW of 44.2kDa according to NP_006259.1). This molecular weight is routinely observed by other sources. Recommended concentration: 1-3µg/ml. |
| Application Type | Pep-ELISA, WB, IHC |

DOCUMENTS

- [Data Sheet](#)

GALLERY IMAGES

