


Telephone: (650) 697-3600

GOAT ANTI-UBID4 (AA245-259) ANTIBODY

SKU: EB12124



SPECIFICATIONS

Formulation Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Unit Size 100 μg

Storage

Instructions

Aliquot and store at -20°C. Minimize freezing and thawing.

Synonym / Alias

zinc finger protein ubi-d4|requiem, apoptosis response zinc finger|protein requiem|apoptosis response zinc finger protein|BRG1-associated factor 45D|BAF45D|ubi-d4|UBID4|REQ|D4, zinc and double PHD fingers family

Names 2|DPF2

Accession

NP_006259.1

Blocking

ID

Peptide

EBP12124

Immunogen

Peptide with sequence C-QPPTPVSQRSEEQKS, from the internal region of the protein sequence according to NP_006259.1.

Peptide

Sequence

C-QPPTPVSQRSEEQKS

Purification Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography

Method using the immunizing peptide.

Shipping

Instructions

Refrigerated





Email: customerservice@vectorlabs.com

Telephone: (650) 697-3600

Predicted

Human, Mouse, Rat, Dog, Pig, Cow

Species Reactive

Human

Species Human

Gene ID

5977

Mouse

19708

Gene ID

Rat Gene ID 361711

Product

Grade

https://prod-vector-labs-pimcore-assets.s3.us-east-1.amazonaws.com/assets/products/image/elite_medium.png

IHC Results Paraffin embedded Human Prostate. Recommended concentration: 5µg/ml.

ELISA

Detection

Antibody detection limit dilution 1:128000.

Limit

Western

Approx 50kDa and 48kDa bands observed in lysates of cell lines Jurkat and K562 respectively (calculated MW

of 44.2kDa according to NP_006259.1). This molecular weight is routinely observed by other sources.

Recommended concentration: 1-3µg/ml.

Application

Туре

Blot

Pep-ELISA, WB, IHC

GALLERY IMAGES







